



GET BACK TO NATURE. From a city rooftop to a suburban backyard retreat, you can create your own outdoor living experience with the warmth and ambience of an outdoor fire.



STANDARD FEATURES

- 42" viewing area
- Expansive firebox opening; 38" high
- Weather-resistant log grate
- Stainless Steel safety screen
- Choose from traditional or herringbone brick interior

OPTIONAL FEATURES

- Bi-fold glass doors-Bronze

DESIGN OPTIONS

Interior Firebrick



Herringbone



Traditional



Finishing

Bronze Bi-Fold Glass Doors

Cover: ODCASTLEWD-42 with optional Bronze bi-fold doors and traditional firebrick

VILLAWOOD

AFFORDABLE BEAUTY

The Villawood fireplace makes it easy and affordable to extend your outdoor living season. Clean and compact for easy installation, this exceptional fireplace features a Stainless Steel surround for protection from the elements – a great addition for backyard decks, patios and outdoor kitchen space.



STANDARD FEATURES

- 36" and 42" viewing areas
- Stainless Steel safety screen
- Weather resistant log grate
- Traditional brick interior

OPTIONAL FEATURES

- Stainless Steel bi-fold doors

DESIGN OPTIONS


Interior Firebrick Finishing







Stainless Steel Bi-fold Doors



Whenever there's a chill in the air or whenever you want to make your gathering something to remember, treat your guests to the spectacular warmth and elegance of an outdoor fireplace.

ODGSR42 outdoor gas fireplace



STANDARD FEATURES

- Feature Stainless Steel mesh screen, basket grate and concrete brick firebox lining
- Fully insulated radiant gas fireplace models in 36" and 42" size
- Flex line with cut off pre-installed
- Weather resistant gas burner system and logs
- 60,000 BTUs provides superior warmth on chilly nights
- No venting required on gas models means installation flexibility gas models can be installed virtually anywhere allowable by local building code (outdoor only)
- CSA design certified

OPTIONAL FEATURES

- Bi-fold doors glass doors are available in weather-resistant Stainless Steel
- Weather cover for gas logs/burner
- Drain pan (recommended for exterior wall applications)
- 4" Stainless Steel hood
- Conversion kits available



STANDARD FEATURES

- 36" or 42" viewing area
- Patented drain channels minimize weather effects
- Weather-resistant log grate
- Stainless Steel safety screen
- Traditional brick interior

OPTIONAL FEATURES

- Bi-Fold glass doors—Stainless Steel

DESIGN OPTIONS

Interior Firebrick



Traditional

OUTDOOR PRODUCTS

MODEL	ODCASTLEWD-42	MONTANA-36	MONTANA-42	ODVILLA-36T	ODVILLA-42T	
WOOD BURNING FIREPLACES						
Dimensions (Actual)	52 ¾" W x 74 ¼" H x 27 ½" D	42" W x 41 ¾" H x 23" D	48" W x 41 ³ ⁄ ₄ " H x 23" D	41" W x 39 ½" H x 21 ¾" D	47" W x 39 ½" H x 21 %" D	
Dimensions (Framing)	53 ¾" W x 74 ½" H x 28" D	43" W x 42 %" H x 24 1/8" D	49" W x 42 ¾" H x 24 ¼" D	42" W x 39 ¾" H x 21 ½" D	48" W x 39 ¾" H x 21 ½" D	
Viewing Area	41 %" W x 38" H (1591 ½ sq. in.)	36" W x 23 ½" H (846 sq. in.)	42" W x 23 ½" H (987 sq. in.)	36" W x 20 %" H (751 ½ sq. in.)	42" W x 20 ¾" H (876 ¾ sq. in.)	
Design Certified	UL/ULC	UL/ULC	UL/ULC	UL/ULC	UL/ULC	

MODEL	AL FRESCO-36A	AL FRESCO-42A				
GAS FIREPLACES						
BTU/HR	42,600 - 60,000 NG / 44,000 - 60,000 LP	42,600 - 60,000 NG / 44,000 - 60,000 LP				
Dimensions (Actual)	40"W x 39 %"H x 22"D	46"W x 39 5%"H x 22"D				
Dimensions (Framing)	41"W x 43 ¾"H x 22 ½"D	47"W x 43 ¾"H x 22 ½"D				
Viewing Area	36"W x 24"H (864 sq. in.)	42"W x 24"H (1008 sq. in.)				
Radiant or Circulating	Radiant	Radiant				
Design Certified	CSA	CSA				



YOUR STYLE, YOUR HOME, YOUR LIFE

A brand of Vermont Castings Group 149 Cleveland Drive, Paris, Kentucky 40361 majesticproducts.com



















Your Majestic Dealer:



Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

©2015 Majestic

For more information about Majestic efficient and environmentally friendly products, please visit majesticproducts.com